







This non-promotional medical resource is funded by AstraZeneca and co-developed with Oberoi Consulting.

UK HCPs should exercise professional judgment when using this resource.

ICB Level Dashboard Example

This example shows dashboards from uploaded search files from participating practices across an ICB.

Dashboards enable ICBs to compare and measure the impact of **One**Asthma across their practices.

The data-driven insights help healthcare professionals to make informed and targeted interventions along with understanding the resource allocation required.

Benchmarking allows healthcare organisations to measure the quality of care they provide against national standards


Dashboard for 3 PCNs in ICB Name Example (QEI)

Out of the **3 PCNs** active in **One**Asthma, **2** have practices who have **uploaded follow-up search results**. These are represented in the calculations in the paragraphs that go with each plot below.

Patients on Asthma Register

(excl. those with COPD, on Palliative Care Register or with Exercise Induced Asthma)

There are currently **78 patients (0.23%)**, compared to **74 patients (0.22%)** at baseline, that meet this criteria in the **2 PCNs** in **ICB**Name Example which have uploaded follow-up search results.







Indicators of Poor Control

Hospital Admission or >2 exacerbations• ≥2 Systemic Oral Corticosteroid (OCS)•

Poor symptom control or Asthma Control Test (ACT) <20*

Click here to read the "Search Rationale" for a full list of drugs


* In the last 12 months

There are currently 1,681 patients with indicators of poor control, compared to 1,664 patients at baseline, in the 2 PCNs in ICB

Name Example which have uploaded follow-up search results.

Patient numbers between 1 and 7 are suppressed, aligned to NHS England's approach to suppression of small patient counts, so the collated numbers in the paragraph text above may not match the total count in the bar plots.

Plotted data can be toggled on/off by clicking on the relevant colour, or text, in the legend situated underneath each chart. Each bar can also be hovered over to see information specific to that PCN.



Patients Issued short-acting β -agonist (SABA) monotherapy

(no Inhaled Corticosteroids (ICS)) in 12 months*

Hospital Admission or >2 exacerbations

≥2 Systemic Oral Corticosteroid (OCS)*


Poor symptom control or Asthma Control Test (ACT) <20*

Click here to read the "Search Rationale" for a full list of drugs

* In the last 12 months

There are currently **379 patients** with indicators of poor control, compared to **373 patients** at baseline, in the **2 PCNs** in **ICB Name Example** which have **uploaded follow-up search results**.

Patient numbers between 1 and 7 are suppressed, aligned to NHS England's approach to suppression of small patient counts, so the collated numbers in the paragraph text above may not match the total count in the bar plots.



Patients Issued ≤ 2 SABA monotherapy + ICS in 12 months*

Hospital Admission or >2 exacerbations

≥2 Systemic Oral Corticosteroid (OCS)*

Poor symptom control or Asthma Control Test (ACT) <20°


Click here to read the "Search Rationale" for a full list of drugs

* In the last 12 months

There are currently **365 patients** with indicators of poor control, compared to **356 patients** at baseline, in the **2 PCNs** in **ICB Name Example** which have **uploaded follow-up search results**.

Patient numbers between 1 and 7 are suppressed, aligned to NHS England's approach to suppression of small patient counts, so the collated numbers in the paragraph text above may not match the total count in the bar plots.

Plotted data can be toggled on/off by clicking on the relevant colour, or text, in the legend situated underneath each chart. Each bar can also be hovered over to see information specific to that PCN.



Patients Issued 3-5 SABA monotherapy + ICS in 12 months*

Hospital Admission or >2 exacerbations

≥2 Systemic Oral Corticosteroid (OCS)•


Poor symptom control or Asthma Control Test (ACT) <20°

Click here to read the "Search Rationale" for a full list of drugs

* In the last 12 months

There are currently **370 patients** with indicators of poor control, compared to **367 patients** at baseline, in the **2 PCNs** in **ICB Name**Example which have uploaded follow-up search results.

Patient numbers between 1 and 7 are suppressed, aligned to NHS England's approach to suppression of small patient counts, so the collated numbers in the paragraph text above may not match the total count in the bar plots.



Patients Issued ≥ 6 SABA monotherapy + ICS in 12 months*

Hospital Admission or >2 exacerbations

≥2 Systemic Oral Corticosteroid (OCS)*

Poor symptom control or Asthma Control Test (ACT) <20*


Click here to read the "Search Rationale" for a full list of drugs

* In the last 12 months

There are currently **373 patients** with indicators of poor control, compared to **368 patients** at baseline, in the **2 PCNs** in **ICB Name**Example which have uploaded follow-up search results.

Patient numbers between 1 and 7 are suppressed, aligned to NHS England's approach to suppression of small patient counts, so the collated numbers in the paragraph text above may not match the total count in the bar plots.

Plotted data can be toggled on/off by clicking on the relevant colour, or text, in the legend situated underneath each chart. Each bar can also be hovered over to see information specific to that PCN.



Patients Issued ICS monotherapy (no SABA) in 12 months*

Hospital Admission or >2 exacerbations

≥2 Systemic Oral Corticosteroid (OCS)*

Poor symptom control or Asthma Control Test (ACT) <20*

Click here to read the "Search Rationale" for a full list of drugs

* In the last 12 months

There are currently **377 patients** with indicators of poor control, compared to **374 patients** at baseline, in the **2 PCNs** in **ICB Name Example** which have uploaded follow-up search results.

Patient numbers between 1 and 7 are suppressed, aligned to NHS England's approach to suppression of small patient counts, so the collated numbers in the paragraph text above may not match the total count in the bar plots.

